


February 2019

# Deliverables 3.1.1. and 3.2.1.

# **EVALUATION OF THE STORM RISK MANAGEMENT PLAN**

## Workshop and economic assessment



#### **EVALUATION OF THE STORM RISK MANAGEMENT PLAN.**

To evaluate the Storm risk plan we followed a methodology, called "Expert cross-viewing", where during a workshop, the participants (experts and stakeholders) become aware of the contents of storm risk plan, discuss their strengths and their weaknesses (deliverable 3.1.1). Also, an economic assessment was done, based on the excel sheet provided an economic assessment. This assessment followed two different scenarios: i) no forest management intervention for storm prevention in a rural area (business as usual); ii) forest management intervention for storm prevention in a rural area using storm simulators (deliverable 3.2.1.).

#### Workshop

A meeting of the Forestry Advisory Group (FAG) of Baskegur was held on the 10th of December 2018 in Toki Alai, home of the Urkiola Natural Park. Baskegur is a professional association, voluntary meeting organ and consultative center of the Basque wood forest sector and its associated industries of wood. This Forestry Advisory Group is a group, made up of the same public and private members as Baskegur, who meets periodically in order to review the Basque forest facts and to advise the board of directors of Baskegur.

In this meeting, Alejandro Cantero from HAZI presented the storm risk plan for the Basque Country and made a series of comments for interested parties to make their contributions.



Figure 1 – Toki Alai, home of the Urkiola Natural Park in Abadiño (Bizkaia).

The attendants of the meeting were the following:

- Juan Carlos Uriagereka, Chief of the Forest Service of Diputacion Foral de Bizkaia
- Ismael Mondragón, Chief of the Forest Service of Diputacion Foral de Gipuzkoa
- Andoni Urteaga, from the Forest Service of Diputacion Foral de Alava
- Mario Michel, from the Basque Gouvernement
- Fernando Otazua, from the Forest Owners Association of Gipuzkoa
- Eduardo Rodriguez, from the Forest Owners Association of Bizkaia
- Fernando Azurmendi, from Diputacion Foral de Bizkaia / Basoekin
- Amelia Uria, from the Forest Owners Association of Alava
- Pedro Albizu, from Smurfitkappa
- Josu Azpitarte and Oskar Azkarate, from Baskegur
- Leire Salaberria, from USSE
- Ander Gonzalez Arias and Eugenia Iturritxa, from Neiker.
- Alejandro Cantero, from HAZI, as meeting leader

All the presentations were related to the scope of the PLURIFOR project, in its wind risk section. Alejandro Cantero (HAZI) presented the results of the review and recommendations for the improvement of storm risk plans carried out for the Basque Country and the web page to support the development of available plans.

At the end of the workshop a survey was given to the assistants for the economic evaluation of the storm risk prevention plan and of the meeting in general. There is a possibility of repeating the meeting in January 2019.

Below are the questions and the main results obtained.



Figure 2 – Pictures from the workshop

#### **Questionnaire results**

After a short report explaining how the evaluation was processed, the main updates needed on the plan evaluated (where/when/how/ methodology used/results/list of attendance/pictures) are:

#### 1. Which is your institution?

20% of the people (3 of 15) came from the Basque Forest Services.

27% of the people (4 of 15) came from the Basque Government or public enterprises (HAZI or Neiker).

No staff attended from Municipalities or Universities.

#### 2. What are the advantages of the application of the criteria for the development of storm risk prevention plans?

For all the respondents, one of the advantages of applying the presented plan would be the improvement in the location of the areas to be managed to minimize possible damages (mainly, by management plans or by public funds as RDP). Other advantages of the application of the presented criteria would be: an increase in the knowledge of the risk, reduction of costs and uncertainty, reduction of the intensity of the storm facilitating the prevention, invigoration of the rural environment, reduction of damages to the population and to the natural environment and optimization of media in crisis situations.

## 3. What elements do you think should be incorporated into a storm risk prevention plans?

As for the elements that should be incorporated, several ideas were mentioned, all at the same level of importance. The elements cited are: inclusion of the climate change effect; land property; identification of vulnerable zones; consider climatic and demographic factors; in minimization activities, increase the coordination and communication of the agents involved; that the emergency technicians gather and share the information with research teams to validate the already existing models of storm behaviour; promote the participation of the storm affected sectors; integrate the silvopastoral activities, the public use and road access; consider the effects of wind regime and weather warnings.

## 4. What elements do you consider priority to protect in a storm risk management plan?

According to the responses to the survey, the priority elements to be protected by a storm risk management plan are the people and population centres, followed by areas of high forest and landscape value. Other elements that also have been considered are the communication routes, the mosaic landscape and the fauna.

## 5. What would be the main economic losses in the event that a storm risk management plan was not applied?

The main economic losses in case of not applying a storm risk plan would be for the respondents those related to the affectation of property and infrastructures, loss of the forest mass, loss of ecological values and loss of human lives. Other losses considered in the surveys are related with grazing or agriculture damages and restrictions on grazing and hunting after storms.

## 6. What has been your overall impression of the workshop? Do you think it has been useful?

For the majority of respondents the impression of the workshop has been good or very good, and even demanded a longer duration of the same.

In fact, at the next Baskegur-FAG meeting (Zamudio, 16<sup>th</sup> January 2019), comments on aspects of the plan continued.

# "Forecast Comparison" for the Economic Assessment (Deliverable 3.2.1)

For the economic evaluation of the application of the storm risk plan, we followed the methodology shown in the Excel sheet that has been developed within the framework of the PLURIFOR project. To this end, a case study has been developed in which the potential storm behaviour in an area is evaluated for the development of a spatial plan for forest planification with the objective of reducing the negative impact of storms that occur in the area. Subsequently, the effect of a storm on a section of this area was evaluated, evaluating its behaviour in case of preventive treatments or not in this section.

To evaluate the plan, a characterized area that covers a total of 20.596 hectares was selected, the Markina-Ondarroa "comarca" or region. The population registered in 2016 was of 26.014 people.



Figure 3 – Markina-Ondarroa in the north of the Basque Country.

The private property covers the 95% of this total surface. Its total forest area covers 75% of the territory, dominated mainly by radiate pine (71.30%), broadleaved mixed forests (7.96%) and eucalyptus (7.69%). The surface of radiata pine is in retreat in front of the eucalypts (E. globulus and E. nitens) due to economic and phytosanitary reasons.

In addition to this, this region has been chosen for two main reasons: its extensive pine forests have the highest average age of the entire Basque Country (30.3 years), which will mean important final cuts in the coming years, and the relative high risk of wind damage in their pine forests.




Figure 4 – Slenderness ratio (mean height / diameter) in pine forests according to age classes (years). High values are appreciated in the intermediate classes and their slow decline with age.

The SUDOE FORRISK project: natural risks in the Atlantic forest (2012-2014) allowed to HAZI the development of wind risk maps, based on LiDAR data. https://www.hazi.eus/es/proyectoshazi.html/4123-proyectos3.html




Figure 5 – FORRISK wind risk maps for the , based on LiDAR data. On the left, it appears the forests at risk by high density (basal area) and on the right, by the average size of the pines.

Regarding the meteorological risk, within the mentioned project SUDOE FORRISK, Barry Gardiner elaborated two risk maps for the Basque Country from the Euskalmet meteorological stations: the Weibull distribution A-factor (up, left) and k-factor (up, right),




Figure 6 – FORRISK wind risk maps: Weibull distribution A-factor (up, left) and k-factor (up, right), together with the integrated map of risk of demolition by wind of the forest (down, left) and the DTM (down, right). It can see the irregularity of the mountains of this region and the high risk of falli in their pine forests. The central images (orthophoto and forest map) show the huge extension of the pine forests.

To determine the strategic areas to intervene in wind risk management, Basaize software was used, a new PLURIFOR product developed by Barry Gardiner for the Basque Country.

As a reference, this software has been used to compare the critical wind speeds in two representative forest situations in four types of forest stands in the geographical center of Markina-Ondarroa: radiate pine, eucalyptus, oak and beech. In both situations, the greatest risk of wind generated in radiate pine stands.

	EP Predicción para rodales individuales usando mediciones de campo Características del rodal	ices del Altol	Fortules	Caracterizione del rodal	ales individuales usando mediciones de o	campo Descheristicas del Ábol	Controles
	Rodal ID Markina Especies	Pinuo radiata 💌	E Epocka	Rodal ID Markie		Especies Eucelyptus globulus v	Ejecutar
	Grupo de suelo 🛛 A: Suelos sin presencia de pley o de chervi 💌		🖝 Inprimi formulatio	Generate and A Sur	elos sin presencia de gley o de chenz +		A incini form
	Assigo 2: Profundamente Assigo () = 100 cm 🔍		P Mone		Aundamente Arraigo () = 100 cm (		-
		eina del rodal (m)	A feada			Altura máxima del rodal (m) 18 🚖	informe
	G Espaciamiento actual (m) 2.8 € NediaDBH	H (cm)		C Espaciamiento actur	el(n) 28 🛊	Nedia DBH (cm) 18 호	🛷 Ayuda
	C Altracenamiento actual (N/ha)		🖀 Abir documento	C Abracevaniento ac	tual (N-fsa)		🎯 Abir docume
			E Guardar documento				📓 Gueder docu
	Webull 43.3005 ± 43 18 1.36 N	Electo de borde contra el viento	15 Valorez por defecto	Webul		Electo de borde contra el viento	15 Valores por de
		<ul> <li>Viejo borde (se aclimató)</li> </ul>	× Cenca	Lallud 41.00	05 € 43 18 186 N 57 € 2 29 44.57 W	<ul> <li>Viejo boste (se aclimato)</li> </ul>	
		C Narvo borde - Tanaño de la brecha (n)					X Cerca
				Encontrat Weibull coef	iciente deode localización Webull A 22	3 🔹 🔿 Nuevo borde - Tamaño de la brecha (n) 400 호	
	Encontrar las cooxidenadas geográficas en el rivapa Weibullit. 121 🛊			Enconitrar las coordenad	las geográficas en el mapa Webul K 12	1 单	
	Riesgo de dellos del viento     Período de retorno. Estado del liesgo de dellos por viento. Velo			Riesgo de daños del vien			
				Período de	retorno Estado del riengo de deños por vie	nto Velocidad crítica del viento Velocidad crítica del viento a h	
	DENHIGAN 200		Probabilidades	DERROCAR 200	Estado 1	36.8 m/z 33.2 m/z	
	ROTURA 200 Estado 1 27.1	7.1 m/z 12.4 m/z			123456		Probabilidade
	ROTURA (200 Estado 1 2/.				*		
	ROTURA (200 ) (25.			R0 TURA 200	Estado 1	41.5 m/s 37.5 m/s	
Modo Opciones Ventan	M Apoda			1.0 Mode Opciones Ventana Ayuda	Elisot	41.5 m/s	
Modo Opciones Ventan				:10	Exact	[87510) [97510]	
Modo Opciones Ventan	Poyota		Archio	10 Mole Operand Apols	vis influiduates usands mediciones de c		
Modo Opciones Ventan	Synth		Archiva	10 Mole Optimer Vertes Ands Mark Dial Ands M	te infriduate uands medicines de		Controlex
Modo Opciones Ventan	A Synds	Kan da Abat		10 Mole Opener, Virtues Ande Melle Opener, Virtues Ande Melle Opener, Virtues Ande Melle Opener, Virtues Ande Canaditation Andrea	tes inforduates usuado mediciones de co	negro	Controlex Epocha
Modo Opciones Ventan	Synth	Kan da Abat	Corade D Enous Promi fornáci	1.2 Made Openeer Verlans Ayads Mark Description of the second of the s	te infriduate uands medicines de	negro	Controles Electrar
Modo Opciones Ventan	Topolo	Kau ad Adad Diance ago ano da nadaria (18 g	Archive Cotable Di Exota Protosi Pr	1.2 Made Openeer Verlans Ayads Mark Description of the second of the s	des infol-cuales useds mediciones de c a de se presenta de glar o de charge and de car presenta de glar o de charge presenta de glar de charge presenta de charge presenta de glar de charge presenta de glar de charge presenta de charge presen	angen antentifican då Adol Genetik   Fega co.	Controles Electron The Electron Territoria
Modo Opciones Ventan	Topolo	ken de Åded Ganesen ogs	Archive	1.2 Made Openeer Verlans Ayads Mark Description of the second of the s	As infolduate usedo motificiens de c	nego anatolina di Atol Gante (Franco	Controles Espostar informationstate Programmer Apuelo
Modo Opciones Ventan	Appel	Kau ad Adad Diance ago ano da nadaria (18 g	Archive Cotable Di Exota Protosi Pr	1.2 Mole Operator Verture Andre Image I Image I Imag	Ats individuals suredo medicines de ate radioidades suredo medicines de ate as presentos de glay a de chero, a de la de presentos de glay a de chero, a de la de	angen antentifican då Adol Genetik   Fega co.	Controles Espostar informationstate Programmer Apuelo
Modo Opciones Ventan	A Stylets     A Stylets	Ku Midd Bene 199	Archive	10 Mole Operators Vinteres Avels Mole Development Vinteres Avels Mole Operators 10 10 10 10 10 10 10 10 10 10	Ats individuals suredo medicines de ate radioidades suredo medicines de ate as presentos de glay a de chero, a de la de presentos de glay a de chero, a de la de	angen anstall form all Adul Grocke (Frigan co	Controles Elector Inprint TomA Troping TomA Provide Apude Apude
Modo Opciones Ventan	Append     Append	Kau ad Adad Diance ago ano da nadaria (18 g	Anthon Conteme Director Conteme Conteme Director Conteme Director Conteme	12 Not Ground Vertex Ande Image: A second V	The individual cando welf-lose the sector of	ango antonican da Akad Manonimo da cala (na 100 Manonimo da cala (na 100 Manonimo da cala (na 100 Manonimo da cala (na 100 Manonimo da cala (na 100)	Controles Elector Informe Apuelo Abis document Guadar document
Modo Opciones Ventan		Na gi do dogo Talanca ogo a ma Strandria ( <u>11 S)</u> Hi can ( <u>11 S)</u> Eletro da locale cana di atere	Anthon Contact of the contact of th	10 Note Operation Vertices Ands Metric Operations Vertices Ands Metric Operations Metric Operations Provide Find to Provide Find to Pro		menge ligenselsen på de de de generelse i førsøge og en Alven enkense skil stød på de de forsås bilf forsøt enkense Dissås de konske somhe el verter	Controlar Epecutar Marine Tomula Informe Asudo Asud
Modo Opciones Ventan		Sea de Adud Searce 420 P Mice Searce 420 P Mice Searce 420 P Electro da Dela conte al Vestor Al Vega toda (a acideat)	Anthen Contractio	1.2 Note Operations Vertrans Anote Image: Image:		angen anterini da da data general (Pages op) Shara telena da tatal (nj) Shara telena da tatal (nj) Data da bazk costa el verso d' Vejo bodi (na activat)	Controlar Diffection Informe Apacto Control Informe Apacto Control Informe Control I
Modo Opciones Ventan	System     Syste	Na gi do dogo Talanca ogo a ma Strandria ( <u>11 S)</u> Hi can ( <u>11 S)</u> Eletro da locale cana di atere	Anthon Contact of the contact of th	1.0 Mol: Operation: Vertree Ande IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIII		Angene and Add General Face	Controles Controles
Modo Opciones Ventan		Sea de Adud Searce 420 P Mice Searce 420 P Mice Searce 420 P Electro da Dela conte al Vestor Al Vega toda (a acideat)	Anthon Contact of the contact of th	1.0 Mol: Operation: Vertree Ande IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIII		Angene and Add General Face	Controles Controles
Modo Opciones Ventan	Topolo     Topology     T	Kan di Adul Bancola kan Ini taga (19 g) Elisti da baha canta di kanta Chisti da baha canta di kanta A Vana baha kanta (1) C' Nana baha (1) (2) g)	Anthon Contact of the contact of th	10 Mole Operane Vertres Ands Mole Operane Vert	$\begin{array}{c c} & & & & & & & & & & \\ \hline & & & & & & & &$	Angele State of Add Controls for all Add Controls of add (or 10 3) To 3 10 10 10 10 10 10 10 10 10 10 10 10 10	Controles Controles
Modo Opciones Ventan	Append     Append	ten de Adud Quences space ■ Tel de la	Anthon Contact of the contact of th	1.0 Note Operation Vertices Ands Mark Description (Mark Construction) Mark Description (Mark Construction) Provided in the Construction (Mark		ampro liserete (France use of Adult liserete (France use use of Adult Manandamo Mit staff (1) (2) (2) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Controles Controles
12 Intel Opener Verla Intel Intel In	Topolo     Topology     T	ten de Adud Quences space ■ Tel de la	Anthon Contact of the contact of th	10 Mole Operane Vertres Ands Mole Operane Vert	$\begin{array}{c c} & & & & & & & & \\ \hline & & & & & & & \\ \hline & & & &$	Annual and Advantage of Advanta	Controlar Epecutar Marine Tomula Informe Asudo Asud

Figure 7 – Situation 1: High density (1.275 stems/ha), smaller average size of the trees (average diameter 18 cm) and continuous forest, without discontinuities


	🔺 🌌 🔛		🔺 🌈 🎑 🕴	🐣 🌌 🔛	
	Características del rodal			El Predicción para rodales individuales usando mediciones de campo Características del rodal Controles	- 8
	Rodalit) Makina Especies Pina radata 💌	Ejecular		Rodal D Mohine Experies Eucolptus pictulus • 🖬 Ejecular	a
	Grupo de suelo - A: Suelos sin presencia de gley o de chervi 💌	A Inpene Tomulato		Giupo de suelo 🛛 A: Sueloc sis presencia de pley o de chere 👻	ir formulario
	Aniego 2 Polundanente Aniego () = 100 cm) 🔹	- B Hone		Arago 2 Pohrdamente Anago () = 100 cm) 💌	
	Altera misiana del rodal (m) 30 😩	e tenta		Altaa mixina del rocki (m) 20 🛫	
	· caberrane and of an A	C Aba decemento		(* Especianierio actual (n) 50 € Pesa Can (cer) (cer →	
	C Alnocenanierio actual (N/ha)				
	Webull Electo de borde contra el viento	Guardar documento		Vebul Electo de borde conhe el vento	
	43,3005 0 43 18 1.86 "N	12 Valores por defecto		10 10 10 10 10 10 10 10 10 10 10 10 10 1	por defecto
	Longitud 2.4937 ± 2 * 28 * 64.57 *W C Vrip bords (or admatd)	X Cerca		Longitud (24657 €) 2 (26 (4457 °W) C Vejo bode (se acimató) X Carca	
	Encontras Webull coeficiente desde localización 🛛 👋 🕹 🖉 🖓 Netvo boldo - Tanaño de la brecha (m) 100 🛫			Encontrar Webull coeficiente desde localización 🛛 Webull A 🛛 223 🚖 🦛 Nuevo borde - Tamaño de la brecha (n) 100 🜻	
	Encontrar las coordenadas geográficas en el reapa Webull X. 121 🚖			Encontrar las coordenadas geográficas en el napa Webull K 121 🔮	
	Pieroso de duños del vierno			Fiergo de deños del viento	
	Período de retorno Estado del liengo de daños por viento. Velocidad crítica del viento. Velocidad crítica del viento a l			Período de retorno. Estado del tiesgo de daños por viento. Velocidad oritica del viento. Velocidad crítica del viento a h	
	DDRInpCult 128 Estado 1 14.6 m/s 84 m/s	Probabilidades		DERROCAR 200 Example 1 (31.0 w/s (34.0 w/s	bilidades
	1 2 3 4 5 6 POTUPA 12 72/20/2 72/20/2	PIDAGROADE		1 2 3 4 5 6 R0TUR4 200 25.0 m/s 30.5 m/s	bildades
saize 1.0 No Modo Opciones Ventar			Archivo Modo Opciones Ventana		_
ivo Modo Opciones Ventar	× ////		Archivo Modo Opcienes Ventana	a Apata Aba Jaga - Aba	
ivo Modo Opciones Ventar			Archivo Modo Opciones Ventana		
ivo Modo Opciones Ventar	Image: Imag		Archivo Modo Opciones Ventana	La Vetta Carlo da la contra co	0 0
ivo Modo Opciones Ventar	Kernel Karlen ander erstellen er enter in state for enter er enter in state for enter	Controles	Archivo Modo Opciones Ventana		
ivo Modo Opciones Ventar	Legencies and a series index and market series medicane for campe      Legencies de volt     Legencies (Savera ten	Controles Executer	Archivo Modo Opciones Ventana	EPvetcolor par midde individually useds medicine (6 campo Carbon form and Acad Contract Nudo Diraca Contract Topic (0)     Ecolor (Form (0))     Ecolor (Form (0))     Ecolor (Form (0))     Ecolor (Form (0))	
ivo Modo Opciones Ventar	Kernel Karlen ander erstellen er enter in state for enter er enter in state for enter	Controles E Ejecutar Stropinal formulatio	Archivo Modo Opciones Ventana	Konstruitere an address souche medicines de compositiones     Sector la construitere an address     Sector la construitere and Address     Sector la construitere andedee	i tornularia
ivo Modo Opciones Ventar	Array Control of	Controles Epicutar Finalist Ionsulatio Informe	Archivo Modo Opciones Ventana	Constructions for the second for a seco	l toreulario
ivo Modo Opciones Ventar	A A A A A A A A A A A A A A A A A	Controles Epecuter Timpenia lossudario Informe Apuda	Archivo Modo Opciones Ventana	Key Construction part work of the state	l Ioraulario
ivo Modo Opciones Ventar	La Profector per unite indicative conde medicine de centre.      La Profector per unite indicative conde medicine de centre.      La Contractive de Maria      La Contractive de Maria	Controles DE Executar Frequent Iomulatio Di Informe Republic April documento	Archivo Modo Opciones Ventana	Kee Construction and and a reaction reactioners to compete Constructions of and all constructions of all constructions of all constructions of and all constructions of all constru	tornulario cumento
ivo Modo Opciones Ventar	A      A	Contole D Epicotae Terpina Ionutation O Informe Apuda Apuda S Abril documento D Bareter documento	Archivo Modo Opciones Ventana	Keek Keek     Ke	tornulario cumento documento
ivo Modo Opciones Ventar		Controles DE Executar Frequent Iomulatio Di Informe Republic April documento	Archivo Modo Opciones Ventana		tornulario cumento documento
ivo Modo Opciones Ventar		Contole D Epicotae Terpina Ionutation O Informe Apuda Apuda S Abril documento D Bareter documento	Archivo Modo Opciones Ventana	Keek Keek     Ke	tornulario cumento documento
ivo Modo Opciones Ventar		Costoles Di Fenora Di Fenora Fenora Autorità Antonia Di Antonia Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento	Archivo Modo Opciones Ventana	Xee      Xee	tornulario cumento documento
ivo Modo Opciones Ventar		Costoles Di Fenora Di Fenora Fenora Autorità Antonia Di Antonia Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento	Archivo Modo Opciones Ventana		tornulario cumento documento
ivo Modo Opciones Ventar	Xee Xee Xee Xee Xee Xee Xee Xee Xee	Costoles Di Fenora Di Fenora Fenora Autorità Antonia Di Antonia Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento	Archivo Modo Opciones Ventana	Xee Xee Xee Xee Xee Xee Xee Xee Xee	tornulario cumento documento
ivo Modo Opciones Ventar	A Second Second Part Control And A Second Part Contrel And A Second Part Control And A Second Part Control And A Seco	Costoles Di Fenora Di Fenora Fenora Autorità Antonia Di Antonia Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento	Archivo Modo Opciones Ventana	Xee Xee Xee Xee Xee Xee Xee Xee Xee	tornulario cumento documento
ivo Modo Opciones Ventar	Logical and a series of the series of t	Costoles Di Fenora Di Fenora Fenora Autorità Antonia Di Antonia Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento Di Sauctionento	Archivo Modo Opciones Ventana	Xee Xee Xee Xee Xee Xee Xee Xee Xee	tornulario cumento documento cor delecto
ivo Modo Opciones Ventar	A Second Second Part Control And A Cont	Catalog Berner Berne	Archivo Modo Opciones Ventana	Xee Xee Xee Xee Xee Xee Xee Xee Xee	tornulario cumento documento cor delecto


Figure 8 – Situation 2: Lower density after thinning (400 stems/ha), higher average size of the trees (average diameter 20 cm) and discontinuous forest

Critical wind speed (m/s)	Situation 1	Situation 2
Radiata pine	30,8	14,6
Eucalyptus	36,8	31,0
Oak	34,3	16,4
Beech	38,3	26,0

The area used for proposed scenario (case study), so, the area to be treated by wind risk management, will be 3000 hectares of radiate pine stands that will be cut in next 3 years and that they are located in high-risk areas due to wind. The hypotheses in this simulation are going to be:

- After the final cut of the pine forest, 1000 hectares will be reforested with eucalyptus, 1000 hectares with oak and 1000 hectares with beech
- Although this area of pine forest would be lost, its total wood productivity is maintained due to its replacement by species of growth: 3000 ha \* 12 m3/ha-year (pine) = 1000 ha \* 24 m3/ha-year (eucalyptus) + 1000 ha \* 5 m3/ha-year (oak) + 1000 ha \* 7 m3/ha-year (beech)
- The current high wind risk decreases strongly with these species changes, since the pine forest is replaced by other forests of lower risk





Next tables will show the assumptions, the prevention management activities and the economic assessment in the case study.

	Dates	10/12/2018			
Workshop	Venue	10/12/2010			
	1. Game role				
Constant and the second be released	2. Forecast comparaison				
Scenario used to assess the plan	3. Expert cross-viewing meeting	x			
Assumptions made for the assessement					
Scenario total area	20596	i ha			
Forest area affected	3000	) ha			
Number of months from the first expenses to the last one	36	month			
	Forest Owner Associations				
<b>-</b>	Diputación Foral de Bizkaia				
Contributors	500 Private forest owners				
	36 months to cut the radiata pine	surface and			
Comments	to assess, to write and to approve	e the new			
	forest management plans				

Figure 10 – General assumptions for the planned scenario.



Figure 11 – Personnel costs.

#### Expenses associated to the plan execution

STEPS	-	Categories 🔻	Actions	-	Cost description	-	Direct cost description	-	Direct cost E/ur 🔻	Uni	ts 🔻	Total cost 🔍	HR involved	-	HR persor 🔻	HR costs
Early warning/Ale	rt	Travel	Assess/advice to the owner		Diputacion Ranger		Travel/visit to the forest		50		500	25 000.00 €	Dipu-Rang		36	9000
		Travel	Assess/advice to the owner		Simple management plan	n	Simple management plans		150		500	75 000.00 €	Forest-Inge		36	10800
Crisis managemen	t	-	-		-		-									
Reconstitution		Reforestation	Support for reforestation Eucalyptus	s	No subsidies		No grant for owner (€/ha)		3 200		1000	3 200 000.00 €				
		Reforestation	Support for reforestation Oak		Includes subsidies 95%		With grant for owner (€/ha)	)	210		1000	210 000.00 €				
		Reforestation	Support for reforestation Beech		Includes subsidies 95%		With grant for owner (€/ha)	)	210		1000	210 000.00 €				
										_						
OTAL												3 720 000.00 €				*******



Project SUDOE PLURIFOR

	Description description of the d	✓ Direct cost E/ur ✓	11. h.	T	
_		<ul> <li>Direct cost E/ur </li> <li>1000000</li> </ul>			Comment/sources/additional nformation about this estimate Forecast of 1 mortal victim each 1 Mm3 of fallen wood
ge 1	additional casualties (€/person) Support for reforestation Radiata pine (€/ha)	740			Includes subsidies 80%
ge 2 ge 3	risk of pine forest collapse and depreciation of wood ( $\mathcal{E}$ /ha)	1800			Basque Government: aid for loss in forests <25 years
	risk of pine forest collapse and depreciation of wood (€/ha)	1100			Diputación Foral de Bizkaia: aid for loss in forests 5-17 years
ge 5	Recovery costs of damaged forest roads (€/km)	3000			Possibility of public subsidies
ge D	Recovery costs of damaged forest roads (@/km)	5000	150	+50000.00€ - €	Possibility of public subsidies
				- £	
				- £	
				- £	
				- £	
				- e	
				- £	
				- €	
				- £	
				-€	
				-€	
				- €	
				-€	
AL			1	8 020 000.00 €	

Figure 6 - Losses avoided by the plan

#### **Final remarks**

Although it can give the idea that the area protected by the wind risk management is small (about 10% of total radiate pine surface), it will decrease the damages and impacts in the vegetation, but also in infrastructures like roads or houses.

Also this scenario provided doesn't count with the efficiency of the storm fighting activities. Forest planification and management also promotes the decrease of storm intensity, which decreases the impacts not only on the vegetation, but also in the fauna, soil and health impacts on humans. Simultaneously, it creates storm fighting opportunities for emergency crews, to act in a more efficient and safe way in case of an extraordinary wind event.

This economic assessment doesn't pretend to study the economic impacts in depth (like analysing the impacts in soil, carbon footprint, wood supply for forest industry, etc.) but only to give a general quantitative view of the importance to promote storm prevention to avoid big economic losses.